

Dauphin AS365 N3

Manufacture Date : 2006

TSN: 5620.03 TSO: 495:44 ENG#1 ARRIEL 2C S/N 24438 TSN: 3767.12 TSO: 184:20 CSN: 3624.40 CSO: 216

LSN: 15049 LSO: 1447 ENG#2 ARRIEL 2C S/N 24327 TSN: 3265.04 TSO: 95.0 CSN: 2594.40 CSO: 61.94



- Emergency floatation gear with automatic percussion
- Internal Aerazur life rafts inst. (2 x 10 pax) with ELT
- Helicopter Emergency Egress Lighting (HEEL)
- Automatic deployable Emergency Locator Transmitter HR-SMITH series 503
- Personnel locator Beacon PLB GME Accusat MT410G
- Intercommunication system TEAM TB 31 with 2 control boxes
- Third control box for TEAM TB 31
- Passengers address NAT AA 20
- SILEC S4449-1 headset (Qty 2)
- Transponder Honeywell MST-67A (Including mode S)
- MFD AVIDYNE EX500
- ADF Honeywell KDF 806
- DME Honeywell KDM 706A
- Weather Radar RDR 1400 (displayed on MFD EX500)
- TCAS 1 L3COM TRC 899A (displayed on MFD EX500, pending EASA approval)
- EGPWS Honeywell MKXII (displayed on MFD EX500, pending EASA approval)
- GPS navigation system Freeflight 2101 I/O
- VHF-AM Honeywell KTR 908 (Qty 2)
- VHF Marine NAT NPX138
- HF Collins HF9000
- Radio Altimeter Thales ERT-160
- Dual VOR/ILS/MKR Honeywell KNR-634A
- SFIM CDV 85 Flight Director Coupler (3-axis)
- Solid State Cockpit Voice & Flight Data Recorder Honeywell ARCOMBI (SSCVFDR)
- UMS-Complement of SSCVDR (Usage functions)
- **HUMS-Complement of UMS (Health functions) - 11 seat layout with 3 point harness**
- Customized external paint – Level 2
- Sand prevention filters, dynamic type- Fixed parts
- Structural reinforcement for 1,600 Kg Cargo Sling
- Structural reinforcement for hoist
- SKYTRAC DSAT-300
- 2 Turbomeca ARRIEL 2 C Free Turbine Engines 717 kw controlled by FADEC



