

# Quotation

## **MERCEDES-BENZ S600 Long, Maybach, vehicle extension by 1350 mm, armour class B6.**

The vehicles are custom made individual production and can be configured with any kind of the client's preferences.

The basis of the vehicles is the Mercedes Benz S600 W221 with individually made Pullman extension and B6 class armour. Technical information of the armour on pages 10-11 of the offer.

The vehicles have never been registered.

2 vehicles in version W221 are available now without lead time.

4 other vehicles are awaiting for the final assembling.

All the 6 cars can be upgraded to version W223 or W223-Brabus body kit and interior update: lead time 6-8 weeks per 1 or 2 cars simultaneously, depending on the client's interior and exterior individual wishes.

Comparable vehicles with armouring in the market are available with a lead time of about 18 months and for much higher price.

The 12 cylinder engine in the 6 offered cars is the most powerful engine built into the Maybach vehicles.

Price for version W221 (option 1): 315.000 Eur per car.

Price for upgraded version W223 (option 2): 395.000 Eur per car.

Price for upgraded version W223-Brabus (option 3): 405.000 Eur per car.

Prices EXW.

All cars available in the west of Europe.

2 cars with VIN numbers: WDDNG76X29A254675, WDDNG76X39A263384 are ready now for inspection and sale in version W221.

Armour in class B6 made.

Pictures on pages 4-5 of the offer.

The 2 cars can be also upgraded to the version W223 or W223-Brabus; then the lead time is 6-8 weeks.

4 cars with VIN numbers:

WDDNG76X09A250057, WDDNG76X49A242687, DDNG76X59A239216, WDDNG76X39A258024 awaiting for the final assembling to:

lead time for version W221 – up to 4 weeks;

lead time for version W223 or W223-Brabus – 6-8 weeks.

Armour in class B6 already made.

Pictures on pages 9 of the offer.

Terms of payment:

Payment for 2 ready cars in version W221: after contract and inspection.

Payment for cars to upgrade to version W223 or W223-Brabus (lead time 6-8 weeks):

- 40% payment after signing of a purchase contract by bank transfer.
- 60% after vehicle upgrading and inspection by bank transfer.

## VEHICLE SPECIFICATION:

### Vehicle details:

Date of first registration: Not yet registered  
Manufacturer: MERCEDES-BENZ  
Body type: Limousine  
Seats: 6  
HSN / TSN: 1313 / ABD  
Km reading 420  
Number of cylinders: 12 /  
Displacement (ccm): 5513  
Gearbox / gears: automatic /  
Colour: BLACK - UNILACK

Vehicle type: Passenger car  
Type / Sales reference: S 600 Long  
Doors: 4  
Vehicle-Ident.-Nr.: as listed  
Key no.: 00000000  
Energy source / fuel: Petrol  
V-engine Power (kW): 380  
Type of drive: Rear-wheel drive  
5 Rims: Light alloy  
Upholstery / Colour: Leather / Black

### Standard equipment:

ADAPTIVE BRAKE with HOLD function and hill start assist, storage compartment in rear seat backrest, Active Body Control (ABC), adaptive brake lights, airbag for driver and front passenger, sidebags 4 x and windowbags, airbag: Kneebag for driver, Ambient lighting, Folding armrests with compartment in front and in rear, Ashtray with cigarette lighter in rear, Heated exterior mirrors left and right, electrically adjustable and foldable, Exterior mirror housing with integrated ambient lighting, Exterior temperature display, Bi-xenon headlamps with active cornering lights, Indicator lights integrated in exterior mirrors, Brake Assist (BAS), DIRECT SELECT gearstick, Rev. counter, Third brake light, Anti-theft alarm system (EDW), Driving light assistant, Four-way power windows with PRE-SAFE locking function, Electric parking brake with comfort function, Floor mats, Velours, Footwell lighting front and rear, Garage door opener integrated in interior mirror, Luggage nets at side of boot (black) and in passenger footwell (equipment colour), Gearbox: Automatic 5-speed, Rear lid with power closing, Heated rear window with timer relay, Interior and exterior mirrors left automatically dimming, Automatic climate control, Comfort head restraints in rear, Comfort head restraints, NECK-PRO, front, Head restraints 5-fold, Paintwork: metallic, Steering wheel in wood/leather combination, Steering wheel: Multifunction steering wheel with toggle discs, Steering: Parameter steering, Reading lights, Air suspension "Airmatic" incl. all-round level control, fog lamps, PARKTRONIC, PRE-SAFE, package KEYLESS-GO, Package: Non-smoking, Upholstery: PASSION Exclusiv leather, Pompadour pockets, Radio navigation: COMAND APS, Radio accessories: AUX-IN socket in glove compartment, Radio accessories: DVD changer, 6x, Radio accessories: Surround sound system (harman/kardon LOGIC7), Rain sensor, Tyre pressure loss warning system, Travel computer, Electric blind for rear window, Wheels: 18" V12 5-spoke light-alloy wheels, Wheels: Tyre sealant "TIREFIT", Heated windscreen washer system, Heated windscreen washer nozzles, Electric sliding/tilting roof in glass design with PRE-SAFE closing function, Power closing for doors, S-Class seat belts, Electrically adjustable safety steering column, Seats: front passenger seat additionally electrically adjustable from the rear, Seats: dynamic front multicontour seats with massage function, Seats: Memory package, Seats: rear multicontour seats with massage function, Seats: rear bench seat with electrically adjustable outer seats and head restraints, Seats: front seats with lumbar supports, electrically height- and length-adjustable, Seats: rear seat climate control, Seats: front seat climate control, Sun visors with illuminated vanity mirror left and right, Power socket, Telephone accessories: Mobile phone preinstallation with universal interface, Cruise control, Locking automatically (can be switched off) while driving, Maintenance interval display "ASSYST", Immobiliser, Heat-, noise-insulating and infrared-reflecting laminated glass, Central locking: locking system with infrared radio remote control, Trim parts in wood finish poplar natural glossy

## **Special equipment for offered W221 version:**

Code Designation

233 DISTRONIC PLUS adaptive cruise control incl. Blind Spot Assist

310 Cupholder, double, front

582 Air conditioning in rear

Paint finish: Uni

443 Steering wheel: Heated steering wheel

610 Night View Assist

301 Package: Ashtray/smoker package

R85 Wheels: 4-axle 9-twin-spoke light-alloy wheels

218 Rear view camera

731 Wood trim in dark-gloss burr walnut finish

Division wall

Vis-a-vis rear seats

Alarm siren

2nd battery

Centre console

Curtains

Fire extinguisher system for the motor compartment only

Fire extinguisher system for the underbody

Flag poles

Glass installment

Hinges reinforced

DEKRA-No: 0212 / 033090 / 2022 / B058260002389 dated 02.02.2022

Inside intercom

Intercom/public address system

Protected fuel tank

Run-Flat tyre system x4

Window (Hydraulic) lifter

Braking system for armored vehicles


Vehicle extension by 1350mm

Vehicle armoring class B6

**OPTION 1**  
**W221 version – body**  
**2 cars ready for inspection presently**  
**black colour**



**OPTION 1**  
**W221 version - interior**  
**2 cars ready for inspection**



Fotoanlage zum Fahrzeug / Objekt: WDDNG76X29A254675



DEKRA-Nr: 0212 / 033090 / 2022 / B058260002389

vom 02.02.2022



Bild 7 : Innenraum Fondbereich

**OPTION 2**  
**Upgrade to version W223**  
**body kit**



**OPTION 3**

**Upgrade to version W223-Brabus - body kit**

**Brabus bumpers and the dark tail lights would be mounted in W223 version of offered Maybach  
*just to compare***



## W223 interior update





**4 cars awaiting for the final assembling  
black and silver colour**



## ENCLOSURE – A – BALLISTIC AND EXPLOSIVE PROTECTION

### **MB-S 600 L, mutec Assault Rifle Protection level B6/B6**

The offered vehicle agrees in its transparent and opaque perimeter areas to level 6 of the common European standards.

The roof protects identically at a shot offset angle of 60° according to the NATO requirements. ("STANAG 4569")

The floor protects against penetrations by fragments of the Hand Grenade DM51.

The MSD armor design concept for gap overlapping of the doors and glazing protects against fragments and shot directions of 45° into these gaps.

**The armor materials of the "mutec Assault Rifle Protection level B6/B6" meet the following specifications:**

#### Opaque armor perimeter:

- Special armor steel, tested and certified according to level **PM 6** of the European Guideline PM 2000 of the VPAM<sup>1</sup>

#### Opaque armor roof:

- Special armor steel , tested and certified according to level **STANAG 1** (horizontal areas)

#### Transparent armor (windshield, side doors, rear door):

- Multilayer glass, tested and certified according DIN/EN (CEN) 1063 **BR6**

#### Floor armor:

- Ply of woven and sewed Aramid layers according mutec Hand grenade protection **D2s**

***All lower mutec Levels (Handgun protection and Assault Rifle Protection Level AH4+) are covered.***  
(See also chart overview: mutec Bullet Resistant Classification and Protection Levels)

---






<sup>1</sup> VPAM = Vereinigung der Prüfstellen für Angriffshemmende Materialien und Konstruktionen  
(Union of Test Institutes for attack protection materials and constructions)

Test specifications:

**mutec Class: Assault Rifle Protection, Level: B6/B6 – M/B/D2s**

(mutec Test Specifications cover: PM6 of PM 2000 for testing and certification of bullet resisting materials and BR6 of CEN: DIN/EN 1063 for glazing)

**A1 Bullet resistance B6 –M/B:**

| Level Information  | B4+   | B6  | B6 (PM 5/ 6&BR 5/6)  | B6 (PM 6&BR 6)  |
|--|---|---|--|---|
| Covered Protection   | Covered, but not test mandatory <sup>2</sup>                                      |   | Tested and certified calibres  |   |
| Type of Weapon   | Rifle AK 47   | Rifle AK74  | M16 A2 / Famas-G2  | M60/M14/FAL-FNG3  |
| Threat / Reference   |  |  |    |  |
| Calibre  | 7.62 x 39 PS- Ball  | 5.45 x 36   | 5.56 x 45 - SS109  | 7.62 x 51 M80 ball  |
| Type of Bullet   | FJ/PB/SCP   | FJ/PB/SCP   | FJ/PB/SCP  | FJ/PB/SC  |
| Test velocity  | 710+-10m/s  | 900+-10m/s  | 950+-10m/s   | 830+-10m/s  |
| Stand off distance   | 10+-0.5m  | 10+-0.5m  | 10+-0.5m   | 10+-0.5m  |
| Stand off angle  | Per. 90° /Roof 60°  | Per. 90° /Roof 60°  | Per. 90° /Roof 60°   | Per. 90° /Roof 60°  |
| Standard Hit Spacing<br>(Opaque and transparent areas)         | Triangle @ 120+-10mm  | Triangle @ 120+-10mm  | Triangle @ 120+-10mm   | Triangle @ 120+-10mm  |
| Tight Multihit Spacing<br>(Opaque Areas!)                      | Triangle @ 23+-5mm  | Triangle @ 16+-5mm  | Triangle @ 17+-5mm   | Triangle @ 23+-5mm  |
| Tight Multihit Spacing according STANAG (NATO-Multihit) - Roof |   |   |  |   |

**A2 Floor Explosive Protection Level D2s:**

The armored Floor level protects against Fragment Penetration of 2 Hand grenades type DM51, placed at separate spaces under the floor, separate ignition

- Explosive: 59g PETN
- Fragments: ca. 6500 steel balls, Ø 2.0 – 2.3mm

<sup>2</sup> Covered Calibres: 7.62 x 39 AK 47 and 5.45 x 39 AK74 just for Information!